

NUCLEAR MEDICINE REQUISITION

50 Charlton Avenue East
Marian Wing, Level 0
Hamilton, ON L8E 4A6
Hours: 0800 – 1630
Tel: 905-521-6095

Fax: 905-521-6018

Name: _____

Address: _____

Phone: Home: _____ Cell: _____

Date of Birth (YYYY/MM/DD): _____ / _____ / _____

Health Card #: _____

Physician's Name: _____

Copies to: _____

APPOINTMENT DATE: _____

APPOINTMENT TIME: _____

Gastrointestinal

- Biliary Gallbladder
- Gastric Emptying – Solid
 - On Medication Off Medication
- Gastric Emptying – Liquid
 - On Medication Off Medication
- GI Bleed
- Meckel's Diverticulum
- RBC Liver Scan
- Liver/Spleen Scan

Oncology

- Sentinel Node – Breast
- Sentinel Node – Melanoma
- Iodine 131 Whole Body Scan

Respiratory

- Lung Scan – Ventilation Perfusion
- Lung Scan – Quantification

Infection

- Gallium
- White Blood Cell Scan

Bone Scans

- Whole Body
- Specific Site: _____

Neurological

- Perfusion (HMPAO)

Genitourinary

- Renal Scan
- Renal with Lasix
- Renal with Captopril
- Renal Cortical
- Plasma G.F.R.

Miscellaneous

- Iodine 131 Therapy (amount _____)
- Parathyroid
- Salivary (Parotid)
- Thyroid Uptake/Scan
- Other Exams: _____

RELEVANT CLINICAL HISTORY: _____

URGENT REPORT REQUESTED

By: _____

Fax/Phone/Pager: _____

PHYSICIAN'S SIGNATURE

Print: _____

Sign: _____

A COMPLETED REQUISITION, INCLUDING ORDERING PHYSICIAN'S SIGNATURE, IS **MANDATORY** IN ORDER FOR TEST TO BE PERFORMED.




INFORMATION

Please call **905-521-6095**
to change or cancel
your appointment.
(providing at least 48 hours notice)

Public parking is available. There is
also street parking (Pay Station) on
Charlton Avenue opposite the Marian
and Martha buildings.

Arrive at least **10 minutes** before
your scheduled appointment.



Nuclear Medicine – Adult Patient Preparation Instructions

Biliary Scan

Nothing to eat or drink for at least 4 hours prior to test. Test duration – 90 minutes.

Bone Scan

No patient preparation required. Two parts to exam. First portion lasts up to 30 minutes. The patient returns 2.5-4 hours later for the second portion of imaging, which lasts for 1 hour.

Gastric Emptying Study

Nothing to eat or drink for at least 12 hours prior to test. Liquid emptying test duration – 45 minutes. Solid emptying test duration – 4.5 hours. May be completed for patient either on or off medication, at physician's discretion (please indicate). If patient is directed not to take medication, then they must be off medication for at least 24 hours. E.g. domperidone/motilium, metoclopramide/reglan, tegaserod/zelnorm.

Lung Scan

No patient preparation required. Test duration – 1 hour.

Renal Scan

Patient to drink 2 glasses of water prior to scheduled test (patient can still void). Check with physician for discontinuation of any medications prior to appointment. Test duration – 60 minutes.

Thyroid Uptake and Scan

Two-day test. In almost all cases, anti-thyroid medications must be discontinued for 5 days, and thyroid hormone replacement medication must be discontinued for 4 weeks. First day, a capsule is given, and uptake is measured 4 hours later. Second day, patient returns for a second uptake and imaging (90 minutes).

White Blood Cell Scan (Indium)

Two-day test. First day has two parts, which each take 45 minutes with 4-5 hours between each part. Patient should be prepared to be available entire day for test. Next day patient returns for imaging (2 hours). Please notify our office if the patient is on dialysis.

White Blood Cell Scan (HMPAO)

Possible two-day test. First day has three parts, which each take 45 minutes, with 3 hours between each part. Patient should be prepared to be available entire day for test. Patient may return next day for additional imaging and will be notified of this on the first day. Please notify our office if the patient is on dialysis.